



GOVERNMENT OF TELANGANA
DEPARTMENT OF HORTICULTURE

GOVERNMENT GARDENS

NOTICE – E PROCUREMENT

For

**Repairs of Poly Houses in Public Garden Nursery,
Red Hills, Nampally, Hyderabad**

Website: <https://horticulture.tg.nic.in>

Contact: 8977714507, 8977714523

E-MAIL: governmentgardens@gmail.com

INDEX

Sl. No	Particulars	Page No.
1	Tender schedule details	
2	Application Form along with terms and conditions	
3	Financial Bid - Repairs of Poly Houses in Public Garden Nursery	

TENDER SCHEDULE DETAILS

Tender calling date	18.06.2026
Tender application fee (Non-refundable)	Rs.27500/- by way of Online drawn in favour of Director of Horticulture, Telangana, Hyderabad.
Earnest Money Deposit (EMD) (Refundable)	By way of Online in favour of Director of Horticulture, Telangana for an amount of Rs.1,80,900/- towards Repairs of Poly Houses in Public Garden Nursery, Red Hills, Nampally, Hyd.
Tender Application Start Date	18.06.2026, from 12:00AM
Tender Application Closing Date	25..06.2026, by 2:00 PM
Opening of Tenders	25.06.2026 at 4:00 PM in the O/o. Director of Horticulture, TG Hyderabad.
Contact person	1) Joint Director of Horticulture (Government Gardens, Hyderabad) 8977714507 2) Assistant Director of Horticulture (Tech.), 8977714523
Reference No	GG/Estt/1065/DDH/2025
Website	https://horticulture.tg.nic.in

(APPLICATION FORM)

Date :

To
The Director of Horticulture,
Department of Horticulture,
Public Gardens, Nampally
Hyderabad.
E-mail: governmentgardens@gmail.com

Dear Madam,

Sub: Tender for Repairs of Poly Houses in Public Garden Nursery, Red Hills.

Name and details of Applicant and its representative authorized to file:	
Full Name	
Designation	
Name of Organization	
GST No.	
PAN No.	
Address	
Phone No.	
Fax	
Mobile	
Email	
Website	

Current nature of work:

(Not exceeding four lines)

Last 3 (three) year's Turnover of the Applicant

FY 2022-23

FY 2023-24 :

FY 2024-25 :

Net Worth of the Applicant

(Computed from the latest Audited Balance Sheet)

2024-25:

Application fee (to be enclosed)

in Rs.

in words.

Drawee Bank

Demand Draft No.

Date:

Note: Clearly indicate item of works

EMD (to be enclosed)

in Rs.

in words.

Drawee Bank

Demand Draft No.

Date:

Note: Clearly indicate item of works

Note:

- a) Applicants shall attach copies experience certificates, GST/ Pan Card /IT returns / Audited Balance Sheets etc., which ever applicable.

- b)** The participants are requested to submit the separate sealed covers duly indicating the details on the covers participating under Repairs of Poly Houses in Public Garden Nursery.

I/We declare that the information stated herein above is accurate.

Signature:

Full Name:

Organization:

Address:

Office Seal:

Date:

TERMS AND CONDITIONS

- 1) The Application for the E Procurement should reach in between **18.06.2026 to 25.06.2026 by 02:00 P.M.**
- 2) Application fee **Rs.27500/- (Non-refundable)** has to be paid in the form of **Online** in favour of Director of Horticulture, Telangana, Hyderabad.
- 3) EMD (**Refundable**) has to be paid in the form of **Online** in favour of Director of Horticulture, Telangana, Hyderabad for an amount of **Rs.1,80,900/-** towards Repairs of Poly Houses in Public Garden Nursery, Red Hills
- 4) Tenders without E.M.D shall be summarily rejected.
- 5) The EMD of the successful bidder shall be retained and refunded only after satisfactory completion of work.
- 6) The E.M.D of unsuccessful bidder shall be refunded after finalization of the tender by the successful bidder.
- 7) Applications duly signed shall only be considered. Incomplete tender applications shall be summarily rejected.
- 8) The tenderer should sign on each paper and affix the seal.
- 9) Tender application of any individual is not transferable.
- 10) Successful firm shall not assign or transfer his contract or any part of it to any other agency.
- 11) Firms / Individuals / Agencies having a minimum (3) years experience in Government Projects with minimum Annual Turnover of Rs. 1.00 Crore for 3 Years are eligible for participation.
- 12) Invitation of tenders shall not confer any right to the tenderers to insist for work orders.
- 13) After opening of the bid offer, if it is found that the highest rate quoted is not satisfactory and not acceptable, the Department shall have the right to call for negotiations and fix up the rates of all above mentioned items, within the terms and conditions of tender.
- 14) It would be deemed that the bidder have made a complete and careful study of this tender document. Any violation of the above terms and conditions will be seriously dealt with.
- 15) The Department is not responsible for the loss /theft damages due to any calamities.
- 16) The Department of Horticulture shall have the right to terminate the tender by giving (30) days notice in violation of any prescribed conditions and non-performance.
- 17) All the successful bidders should supply the material within 10 days from the date of orders as per the technical specifications approved for the purpose.

- 18) On placement and acceptance of purchase order, if the supplier does not perform his obligation as per the order, such supplier will be black listed and Department of Horticulture reserves all rights to make alternative arrangements to procure them from any short listed source and the difference of cost paid, if any will be recovered from the defaulting supplier through appropriate action.
- 19) In the event of any supplies /material failing to confirm to the specifications of quality parameters, The Director of Horticulture have the right to reject them outrightly and the payment to the stocks liquidated shall be with held.
- 20) The quantity notified is only tentative and may increase or decrease as per the requirement.
- 21) The Director of Horticulture or his/her nominee reserves the right to accept, reject or cancel the tenders at any time without assigning any reasons thereof.
- 22) All disputes and differences that arise are subject to the Jurisdiction of the Courts at Hyderabad only.
- 23) The decision of the Director of Horticulture will be final and bidding to accept, reject and cancel the tender no further correspondence will be entertained.

I have read and understood all the terms and conditions laid down in the Tender document and abide to them.

Signature:

Designation:

Full Name of Firm/Individual/Agency:

Organization:

Address:

Office Seal:

Date:

FINANCIAL BID

**REPAIRS OF POLY HOUSES IN PUBLIC
GARDEN NURSERY, RED HILLS, NAMPALLY
HYDERABAD**

Name of the Firm / Agency: _____

To be quoted by the firm in Rupees for execution of entire work on “Turnkey basis”.

S. No.	Particulars /Components to be upgraded	Quantity/ Size	Rate per Quantity / size incl. GST (in Rs.)	Total amount (in Rs.)
1	2	3	4	5
A	Poly House – 1	1920 sq mt		
I	Cladding material replacement - UV stabilized light diffuser, No IR ,200-micron ,5 layer, Drip lock cool transparent polyfilm conforming Indian Standards (IS 15827: 2009), and having minimum 87% level of light transmittance, Light diffusion 77%, Anti-dust, Anti-Sulfur, Anti drip.			
II	Side walls - 35% shade, white colour tape type shadenet			
III	Top second layer - 50% shade, tape type white colour shadenet for top second layer			
IV	Installation of Irrigation system through Micro Sprinklers 69 lph with Head control unit (incl. sand filter, fertigation tank), Water carrying system, Water distribution system, Fitting & Accessories. Foggers (High quality misting system and fog machine). Taps provision for hose pipe.			
V	Exhaust Fans	6 Nos.		
	Sub Total A			
B	Poly House - 2	1299 sq mt		

S. No.	Particulars /Components to be upgraded	Quantity/ Size	Rate per Quantity / size incl. GST (in Rs.)	Total amount (in Rs.)
1	2	3	4	5
I	Cladding material replacement - UV stabilized light diffuser, No IR ,200-micron ,5 layer, Drip lock cool transparent polyfilm conforming Indian Standards (IS 15827: 2009), and having minimum 87% level of light transmittance, Light diffusion 77%, Anti-dust, Anti-Sulfur, Anti drip.			
II	Side walls - 35% shade, white colour tape type shadenet			
III	Top second layer - 50% shade, tape type white colour shadenet for top second layer			
IV	Installation of Irrigation system through Micro Sprinklers 69 lph with Head control unit (incl. sand filter, fertigation tank), Water carrying system, Water distribution system, Fitting & Accessories. Foggers (High quality misting system and fog machine). Taps provision for hose pipe.			
V	Exhaust Fans	5 Nos.		
	Sub Total B			
C	Poly House - 3	1344 sq mt		
I	Cladding material replacement - UV stabilized light diffuser, No IR ,200-micron ,5 layer, Drip lock cool transparent polyfilm conforming Indian Standards (IS 15827: 2009), and having minimum 87% level of			

S. No.	Particulars /Components to be upgraded	Quantity/ Size	Rate per Quantity / size incl. GST (in Rs.)	Total amount (in Rs.)
1	2	3	4	5
	light transmittance, Light diffusion 77%, Anti-dust, Anti-Sulfur, Anti drip.			
II	Side walls - 35% shade, white colour tape type shadenet			
III	Top second layer - 50% shade, tape type white colour shadenet for top second layer			
IV	Installation of Irrigation system through Micro Sprinklers 69 lph with Head control unit (incl. sand filter, fertigation tank), Water carrying system, Water distribution system, Fitting & Accessories. Foggers (High quality misting system and fog machine). Taps provision for hose pipe.			
V	Exhaust Fans	5 Nos.		
	Sub Total C			
D	Poly House - 4	1486 sq mt		
I	Cladding material replacement - UV stabilized light diffuser, No IR ,200-micron ,5 layer, Drip lock cool transparent polyfilm conforming Indian Standards (IS 15827: 2009), and having minimum 87% level of light transmittance, Light diffusion 77%, Anti-dust, Anti-Sulfur, Anti drip.			
II	Side walls - 35% shade, white colour tape type shadenet			

S. No.	Particulars /Components to be upgraded	Quantity/ Size	Rate per Quantity / size incl. GST (in Rs.)	Total amount (in Rs.)
1	2	3	4	5
III	Top second layer - 50% shade, tape type white colour shadenet for top second layer			
IV	Installation of Irrigation system through Micro Sprinklers 69 lph with Head control unit (incl. sand filter, fertigation tank), Water carrying system, Water distribution system, Fitting & Accessories. Foggers (High quality misting system and fog machine). Taps provision for hose pipe.			
V	Exhaust Fans	5 Nos.		
	Sub Total D			
E	Naturally Ventilated Poly House	1161 sq mt		
I	Side walls - 35% shade, white colour tape type shadenet			
II	Installation of Irrigation system through Micro Sprinklers 69 lph with Head control unit (incl. sand filter, fertigation tank), Water carrying system, Water distribution system, Fitting & Accessories. Foggers (High quality misting system and fog machine). Taps provision for hose pipe.			
	Sub Total E			

S. No.	Particulars /Components to be upgraded	Quantity/ Size	Rate per Quantity / size incl. GST (in Rs.)	Total amount (in Rs.)
1	2	3	4	5
F	Walk In Tunnel - 1 & 2	700 & 278 sq mt		
I	Side walls - 35% shade, white colour tape type shadenet			
II	Top layer - 50% shade, tape type white colour shadenet for top second layer			
III	Installation of Irrigation system through Micro Sprinklers 69 lph with Head control unit (incl. sand filter, fertigation tank), Water carrying system, Water distribution system, Fitting & Accessories. Foggers (High quality misting system and fog machine). Taps provision for hose pipe.			
	Sub Total F			
	Grand Total (A+B+C+D+E+F)			

Note: 1. The rate quoted should be inclusive of transportation to the site, loading, Un-loading

charges, installation, including of taxes if any GST, Service Tax etc, within the limit of

GHMC. The I.T. Deduction shall be applicable as per rule.

2. The Warranty of the components shall be 1 year.

3. The technical specifications given must be duly followed during the work.

**TECHNICAL SPECIFICATIONS FOR REPAIRS OF POLY HOUSES IN PUBLIC
GARDEN NURSERY, RED HILLS, HORTICULTURE DEPARTMENT,
TELANGANA**

Cladding material: UV stabilized light diffuser, No IR ,200-micron ,5 layer, Drip lock cool transparent polyfilm conforming Indian Standards (IS 15827: 2009), and having minimum 87% level of light transmittance, Light diffusion 77%, Anti-dust, Anti-Sulfur, Anti drip. All ends/joints of plastic film need to be fixed with two-way Aluminum profiles with suitable locking arrangement along with curtain top. Wooden batons or PVC grippers should not be used.

Shade net: 35% shade white colour tape type for side walls and 50% shade tape type white colour for top second layer, is recommended.

Micro sprinklers: Installation of Irrigation system through Micro Sprinklers 69 lph with Head control unit (incl. filter, fertigation tank / ventury), Water carrying system, Water distribution system, Fitting & Accessories. Taps provision for hose pipe.

Foggers: High quality misting system and fog machine.

Exhaust Fans: Industrial grade configuration to maintain proper temperature humidity and airflow. Number of units can be tailored as per the area of the structure.

Specifications for Round Poly Top Net House:

S.N.	Item	Specification
1	Structure	Round Poly Top Net House
	Size	Poly House 1 - 1920 Sq. Mtr. Poly House 2 - 1299 Sq. Mtr. Poly House 3 - 1344 Sq. Mtr. Poly House 4 - 1486 Sq. Mtr. NVPH - 1161 Sq. Mtr. Walk In Tunnel 1 - 700 Sq. Mtr. Walk In Tunnel 2 - 278 Sq. Mtr.
	Shape	As per design

S.N.	Item	Specification
	Withstand to wind velocity	Structure may be design to withstand wind velocity upto 120 km/ hour per in high wind velocity zone.
	Four Way Pipe Couplers	Size 42 OD, Thickness 2 mm, Wt. per length 0.15 kg, length-0.15 m
	Five Way Pipe Couplers	Size 42 OD, Wt. per length 2.30 kg, Thickness 2 mm, length-0.15 m
	Nut Bolts	Size 3/8", grade 5 or class 8.8 or equivalent
	Centre Height	Poly House & NVPH: Centre height – 6.5m, side height – 4m with 48mm truss, 33mm truss member and 42mm purlin. Walk In Tunnel: Centre height – 5m, side height – 2.5m with 48mm truss, 33mm truss member and 42mm purlin.
2.	Aluminium Profile	C type GI profile to fix shade net to the structure by means of self-tapping screws. Weight of GI profile is 280-300 gm/meter. Self-Drilling Screw be fixed on profile every 40 cm along the full length of the profile
3.	Spring Insert	A coated galvanized 2mm steel spring Wire material should be high carbon spring steel with spring action.
4	Top material	UV stabilizer, 200 microns Light diffuser, No IR
5	Side Walls	35% shade – white tape type shadenet.
6	Top & second layer	50% shade - white tape type shadenet.
7	Installation of irrigation system through Micro Sprinklers, fogging System and Taps provision for hosepipe	Installation of Irrigation system through Micro Sprinklers 69 lph with Head control unit (incl. sand filter, fertigation tank), Water carrying system, Water distribution system, Fitting & Accessories. Foggers (High quality misting system and fog machine). Taps provision for hose pipe.
8	Exhaust fans	Industrial grade configuration to maintain proper temperature humidity and airflow. Number of units can be tailored as per the area of the structure

S.N.	Item	Specification
9	Door	Galvanized doors with Polycarbonate/ sheet door with 2 m widths and 2m height and another door of 1m x 2m Box section frame is embedded inside for the strength.
10	Anti- Room	Anti-room of size 4mx 3m attached to net house

CHECK LIST

Sl. No.	Particulars	YES/NO
1	Copy of the Vouchers of EMD remitted	
2	EXPERIENCE CERTIFICATE ISSUED BY GOVT AGENCIES FOR (3) YEARS i.e. FROM 2022-23, 2023-24, 2024-25 (RELEVANT DOCUMENTS SHOULD BE FURNISHED)	
3	IT RETURNS AND AUDITED BALANCE SHEET FOR THE FY 2022-23, 2023-24, 2024-25	
4	ORIGINAL TENDER SCHEDULE DULY SIGNED ON EACH PAGE	